## TEMPORARY

## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Da	te of filing in State Engineer's Office
Ret	turned to applicant for correction
Co	rrected application filedMap filedMap
	The applicant Genoa Lakes Venture
	P.O. Box 247 of Minden Street and No. or P.O. Box No. City or Town
	Nevada 89423 hereby make application for permission to change the
	Manner of Use of a Portion  Point of diversion, manner of use, and/or place of use
of '	water heretofore appropriated under Permit 57248  Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
	tify right in Decree.
******	
1.	The source of water is the Carson River  Name of stream, lake, underground spring or other source.
	The amount of water to be changed. 0.336 CFS not to exceed 50 acre feet as decreed.  Second feet, acre feet. One second foot equals 448.83 gallons per minute.
	The water to be used for Construction and Air Quality Control  Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
	The water heretofore permitted for Irrigation Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5.	The water is to be diverted at the following point.  Describe as being within a 40-acre subdivision of public survey and by course and
	distance to a section corner. If on unsurveyed land, it should be stated.
6.	The existing permitted point of diversion is located within Within the NE½ NE½ of Section 10, T.13N  R.19E., M.D.B.&M., or at a point from which the NW corner of said Section 10  bears N 77 <sup>0</sup> 45' W., 4675 feet (Pump No. 1)
7.	Proposed place of use
8.	5.09 AC SE NE, 4.89 AC SW NE, 2.40 AC NE NE, 19.36 AC NW NE, 7.88  Existing place of use AC NE NW in Section 10: 16.97 AC SE SE, 7.78 AC SW SE, 8.18 AC SE SW, 0.50 SW SW,  Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or 4.59 AC NE SW, 4.59 AC NW SE, 13.27 AC NE SE, 11.08 AC SE NE, 7.19 AC SW NE, in manner of use of irrigation permit, describe acreage to be removed from irrigation. Section 3 and 1.00 AC NW SW in Section
	2. all in T.13N., R.19E., M.D.B.&M., Douglas County, Nevada - 114.77 acres total.
9.	Use will be from as decreed to as decreed of each year.  Month and Day Month and Day
	Use was permitted from as decreed to as decreed of each year.  Month and Day Month and Day
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Existing pump and motor in the river.  State manner in which water is to be diversed, i.e. diversion structure,
	(Pump No. 1) ditches, pipes and flumes, or drilled well, etc.
12.	Estimated cost of works\$50.,000.
13.	Estimated time required to construct worksCompleted

14. Estimated time required to complete the application of water to beneficial use 1 year
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
Construction water will be distributed over roadways and areas of cut and fill during the construction of the Genoa Lakes subdivision improvements during daylight hours by water trucks during daylight hours seven days a week. Estimated use for the 1st year of construction of the subdivision is 50 acre-feet. Carson River water has historically been used through an existing pump in the Carson River to maintain the water level in the existing ponds adjacent to the river from which the water has been pumped for irrigation. Water for construction and air quality control will also be withdrawn from the same ponds.
n s/P 1 Vacov
By S/B. J. Vasey  B.J. Vasey, P.E. RLS, Vasey Engineering  Compared bc/bc  P.O. Box 247  Minden, NV 89423
Protested
OF STATE ENGINEER
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:
The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to
•
exceedcubic feet per second
Work must be prosecuted with reasonable diligence and be completed on or before
Proof of completion of work shall be filed before
Application of water to beneficial use shall be made on or before
Proof of the application of water to beneficial use shall be filed on or before
Map in support of proof of beneficial use shall be filed on or before
Completion of work filed
State Engineer of Nevada, have hereunto set my hand and the seal of my
office, thisday of,
A.D. 19  Certificate NoIssued
DRAWN BY ARCHEANT AUG 18 1993 State Engineer
The Dr. 1 h
ENGINEER